



▶ APPLICATIONS :



▶ FEATURES :

- CV-CC Mode
- Independent setting of voltage & current
- Manual current limit option
- Protection for : short circuit / overload
- Mounting : panel / floor / wall

	ENDURANCE PERFORMANCE
	HIGH RELIABILITY & STABILITY
	MANUAL CURRENT LIMIT

▶ MORE APPLICATIONS




& many more....

▶ TECHNICAL SPECIFICATION :


Powertron 1500W series DC Power Supply having below different voltage and current combination.

SPECIFICATIONS	PIPL - 3050	PIPL - 6025	PIPL - 10015	PIPL - 15010	PIPL - 30005
Output Characteristics					
Voltage	0-30V	0-60V	0-100V	0-150V	0-300V
Current	0-50A	0-25A	0-15A	0-10A	0-5A
Max Power	1500W	1500W	1500W	1500W	1500W
Input Characteristics					
Input Voltage	180V TO 270VAC - 1Phase				
Frequency	47-63Hz				
Efficiency	>85%				
CV-CC Mode					
Line Regulation	<±0.5%				
Load Regulation	<±0.5%				
Ripple and Noise	1% P-P				
General					
Protection	Over Voltage, Over Load, Short Circuit, Over Temp.				
Operating Temperature	-5 to 55deg				
IO Isolation	I/P TO O/P : 1.5K & I/P TO GND : 500VDC				
Safety & EMC	Design to meet UL60950-1 / EN55022 & EN61000-4-2				
Cooling	Conventional Fan Cooled				
Dimensions	380 (W) x 350 (D) x 105 (H) MM				


▶ **PANEL DESIGN**



FRONT VIEW




BACK VIEW




SIDE VIEW


▶ **DIMENSION : 380 (W) X 350 (D) X 105 (H) mm**



FRONT VIEW



BACK VIEW



SIDE VIEW



Our Worldwide Customers



We assure you that our product will live up to your expectations.

If you have any questions, feel free to reach out.

We anticipate a positive response and value your feedback.

Thank You !